



HANA EDM WIRE CO.LTD

**MATERIAL SAFETY
DATA SHEET****ZINC Wire**

Ref no. : MSDS/PDS/911
 Issue No. : 02
 Rev. No. : 00
 Date : 01.04.2021

SECTION 1: Product Identification

Manufacturer name:	HANA EDM WIRE LTD
Chemical Name:	Zinc wire (99.995%)
Product Number:	MS/911
CAS Registry Number:	7440-66-6
Formula:	Zn
EINECS Number:	231-175-3
Chemical Family:	Metal or Element
Synonym:	none

SECTION 2: Composition and Information on Ingredients

Ingredient	CAS Number	Percent	ACGIH (TWA)	OSHA (PEL)
Title Compound	7440-66-6	99.995 %	no data	no data

SECTION 3: Hazards Identification

Emergency Overview:	Inhalation of zinc dust may produce metal fume fever or zinc shakes consisting of chills, fever, muscular pain, nausea, and vomiting.
Primary Routes of Exposure:	Inhalation (of dust or fume)
Eye Contact:	The dust may cause slight to mild irritation of the eyes.
Skin Contact:	The dust may cause slight to mild irritation of the skin.
Inhalation:	Hazard associated with inhalation of fine dust or fume. May be irritating to nasal cavity and respiratory tract.
Ingestion:	Zinc dust gives a harsh metallic taste and may cause nausea and vomiting
Acute Health Effects:	Dust may be irritating to skin, eyes and respiratory tract. Inhalation of zinc dust may cause chills and nausea.
Chronic Health Effects:	No serious long-term chronic effects reported. Prolonged inhalation of dust may cause laryngitis. Prolonged ingestion may cause constipation.
Emergency Overview:	Inhalation of zinc dust may produce metal fume fever or zinc shakes consisting of chills, fever, muscular pain, nausea, and vomiting.

SECTION 4: First Aid Measures

Eye Exposure:	(For dust) Immediately flush the eyes with copious amounts of water for at least 10-15 minutes. A victim may need assistance in keeping their eye lids open. Get immediate medical attention.
Skin Exposure:	The material is in the form of a metal wire. Skin exposure is not an issue.
Inhalation:	(For dust) Remove the victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases seek immediate medical assistance.
Ingestion:	The material is in the form of a metal wire. Ingestion is an unlikely occurrence.
Antidote:	The use of calcium disodium EDTA as a chelating agent should be determined by qualified medical personnel.

SECTION 5: Fire Fighting Measures

Flash Point:	Not Applicable
Autoignition Temperature:	460 deg C (860.00 deg F)
Explosion Limits:	Not Applicable
Extinguishing Media:	Do NOT use water directly on fire. Use dry chemical to fight fire. Use approved class D extinguishing agents or smother with dry sand, clay, or sodium bicarbonate.
Special Fire Fighting Procedures:	No special fire fighting procedures required for this material.
Hazardous Combustion and Decomposition Products:	None

 HANA EDM WIRE CO.LTD	MATERIAL SAFETY DATA SHEET	Ref no. : MSDS/PDS/911 Issue No. : 02 Rev. No. : 00 Date : 01.04.2021
	ZINC Wire	
Unusual Fire or Explosion Hazards:	Potentially combustible as fine dust. Dust may form explosive mixtures with air under some conditions.	
Hazardous Combustion and Decomposition Products:	None	
Unusual Fire or Explosion Hazards:	Potentially combustible as fine dust. Dust may form explosive mixtures with air under some conditions.	

SECTION 6: Accidental Release Measures		
Spill and Leak Procedures:	Not applicable; Material is a Metal Rod	
SECTION 7: Handling and Storage		
Handling and Storage:	No special storage or handling conditions required.	
SECTION 8: Exposure Controls and Personal Protection		
Eye Protection:	Always wear approved safety glasses when handling a chemical substance in the laboratory.	
Skin Protection:	Wear protective clothes and gloves. Consult glove manufacturer to determine the proper type of glove.	
Ventilation:	If in the form of a fine dust, handle the material in an efficient fume hood.	
Respirator:	If handling material in the form of a fine dust and ventilation is not available, a respirator should be worn. The use of respirators requires a Respirator Protection Program to be in compliance with 29 CFR 1910.134.	
Additional Protection:	No additional protection required.	
SECTION 9: Physical and Chemical Properties		
Color:	Bluish white, silvery gray	
Physical State:	Solid	
Molecular Weight:	65.38	
Melting Point:	419.58°C	
Boiling Point:	907°C	
Vapor Pressure:	1mm @ (487 °C)	
Specific Gravity:	7.14	
Odor:	odorless	
Solubility in water:	Reacts with water	
Viscosity:	Not applicable	
SECTION 10: Stability and Reactivity		
Stability:	air and moisture stable	
Hazardous Polymerization:	no hazardous polymerization	
Conditions to Avoid:	Mixtures of fine dust with air in contact with an ignition source.	
Incompatibility:	Mineral acids, halogens, oxidizers, sulfur, phosphorus, halogenated hydrocarbons, strong bases and ammonium nitrate	
Decomposition Products:	none	
SECTION 11: Toxicological Information		
RTECS Data:	Administration onto the skin (human); Standard Draize test: 300 ug/3D (Intermittent). Inhalation (human); TCLo: 124 mg/m3/50M.	
Carcinogenic Effects:	No data available	
Mutagenic Effects:	No data available	

 HANA EDM WIRE CO.LTD	MATERIAL SAFETY DATA SHEET	Ref no. : MSDS/PDS/911 Issue No. : 02 Rev. No. : 00 Date : 01.04.2021
	ZINC Wire	
Tetratogenic Effects:	No data available	
SECTION 12: Ecological Information		
Ecological Information:	No information available.	

SECTION 13: Disposal Considerations		
Disposal:	Dispose of according to local, state, and federal regulations.	
SECTION 14: Transportation		
Shipping Name (CFR):	Non-hazardous	
Hazard Class (CFR):	NA	
Additional Hazard Class (CFR):	NA	
Packaging Group (CFR):	NA	
UN ID Number (CFR):	NA	
Shipping Name (IATA):	Non-hazardous	
Hazard Class (IATA):	NA	
Additional Hazard Class (IATA):	NA	
Packaging Group (IATA):	NA	
UN ID Number (IATA):	NA	
SECTION 15: Regulatory Information		
TSCA:	Listed in the TSCA inventory	
SARA (Title 313):	Title compound listed as fume or dust	
Second Ingredient:	none	
SECTION 16: Other Information		
Disclaimer:	The information herein is believed to be accurate and reliable as of the date compiled. However, Kothari Metsol makes no representation, warranty, or guarantee of any kind with respect to the information contained in this document or any use of the product based on this information.	
Preparation Date	01.04.2013	
Revision Date:	01.04.2021	